

## BIBLIOGRAPHY

- 1 - AGERSTRAND T., HANSSON G. & JACKS G., *Effect of ground water composition of sequential flooding of aquifers with fresh and saline water*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 59-64, 3 figs., 2 tables.
- 2 - AMBO K. & HAMAN, Z., *The fresh-salt water relationships in a white chalk water-table aquifer at Ålborg, Denmark*, SWIM Ghent 1974, 4, (1975), p. 141-157, 12 figs., 1 table.
- 3 - ANDERSEN L.J., *Salt groundwater in Denmark*, SWIM Hannover 1968, 1 (1968), p. 23-25.
- 4 - ANDERSEN L.J., *Salt water in the artesian aquifer of Stevns East Zealand, Denmark (abstract only)*, SWIM Copenhagen 1972, 3 (1972), p. 20-21.
- 5 - BIBBY R., *Mingling by displacement in dual porosity media*, SWIM Hannover 1979, Geol. Jb., C-29 (1981), p. 217-229, 11 figs., 2 tables.
- 6 - BOEKELMAN R.H., *Geo-electrical survey in the polder « Groot Mijdrecht »*, SWIM Hannover 1979, Geol. Jb., C-29 (1981), p. 241-253, 13 figs.
- 7 - BOSWINKEL J.A., *Spatial salinity variations in the Netherlands*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 65-76, 7 figs.
- 8 - BRANDT E., *Grundwasserverzalzung in der Hattstedter Marsch*, Groundwater salinization in the Hattstedt polder, SWIM Vogelenzang 1970, 2 (1970), p. 27.
- 9 - BRUGGEMAN G.A., *Mathematical analysis of steady and non-steady two- and three-dimensional flow in anisotropic aquifers with special reference to salt-water intrusion problems*, SWIM Copenhagen 1972, 3 (1972), p. 23-39, 5 figs., 1 table.
- 10 - BRUGGEMAN G.A., *Analytical treatment of moving fronts in two- and three-dimensional groundwater flow*, SWIM Ghent 1974, 4 (1975), p. 59-84, 10 figs.
- 11 - BRUGGEMAN G.A., *Field determination of the effective porosity*, SWIM Medmenham 1977, 5 (1978), p. 72-77, 4 figs., 1 table.
- 12 - CNUUDE J.P., *Interpretation of resistivity soundings in areas with saline groundwater*, SWIM Medmenham 1977, 5 (1978), p. 158-164, 3 figs., 2 tables.
- 13 - COTECCHIA V., *Methodologies adopted and results achieved in the investigations of seawater intrusion into the aquifer of Apulia (Southern Italy)*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 1-68, 55 figs.
- 14 - COTECCHIA V., TADOLINI T. & TULIPANO L., *Saline contamination phenomena in the karstic and fissured carbonatic aquifer of the Salentine Peninsula (Southern Italy) and their evolution*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 77-82, 3 figs.
- 15 - COUWENHOVEN T., *Problems caused by salinization in the Dutch coastal regions* (abstract), SWIM Vogelenzang 1970, 2 (1970), p. 6.
- 16 - CUSTODIO E., *Sea water encroachment in Llobregat and Besos areas, near Barcelona (Catalonia, Spain)*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 120-152, 18 figs.
- 17 - DE BREUCK W., *Application of resistivity prospecting in geological mapping in Flanders* (abstract), SWIM Vogelenzang 1970, 2 (1970), p. 28.
- 18 - DE BREUCK W., *Hydrogeological SWIM-excursion to the coastal region of Belgium*, SWIM Ghent 1974, 4 (1975), p. 202-215, 10 figs., 1 map.
- 19 - DE BREUCK W. & DE MOOR G., *The salinization of the Quaternary sediments in the coastal area of Belgium*, SWIM Copenhagen 1972, 3 (1972), p. 6-19, 7 figs., 1 table.
- 20 - DE BREUCK W. & DE MOOR G., *The evolution of the coastal aquifer of Belgium*, SWIM Ghent 1974, 4 (1975), p. 158-172, 6 figs., 2 tables.
- 21 - DELISLE G. & SCHELKES K., *Assessment of the flow regime of fresh and salinar ground waters in the sedimentary cover of a salt dome - problems and methods*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 172-192, 18 figs.
- 22 - DE VRIES J.J., *The distribution of fresh and salt groundwater in the Dutch coastal area and the Quaternary-geological evolution*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 153-161, 5 figs., 1 table.
- 23 - DOWNING R.A., *A summary of saline intrusion problems in the United Kingdom*, SWIM Copenhagen 1972, 3 (1972), p. 70-74, 1 fig.

- 24 - DÜRBAUM H., *Betrachtungen zur Grundwasserströmung im Bereich des Wittmunder Versuchfeldes*, Study of the groundwater flow in the Wittmund investigation area. SWIM Vogelenzang 1970, 2 (1970), p. 25-26, 1 fig.
- 25 - ENGQVIST P., *Some wells with high content of chloride in central Sweden*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 33-39, 4 figs., 1 table.
- 26 - EVANS D., LLOYD J. W. & HOWARD K. W. F., *A study of saline intrusion and the influence on groundwater management in the Lincolnshire Chalk* (England). SWIM Hannover 1979, Geol. Jb., C-29 (1981), p. 87-103, 8 figs.
- 27 - FLATHE H., *Stand der Kenntnisse über den Anwendungsbereich der Geoelektrik im niedersächsischen Küstengebiet*, State of the art concerning the usability of the geoelectric method in the coastal area of Lower Saxony. SWIM Hannover 1968, 1 (1968), p. 6-9.
- 28 - FLEET M., BRERETON N. R. & HOWARD N. S., *The investigation of saline intrusion into a fissured chalk aquifer on the south coast of England*, SWIM Medmenham 1977, 5 (1978), p. 136-157, 13 figs., 1 table.
- 29 - GERHARDY H., *Saltwater domes in freshwater bearing coastal aquifers of East Frisia. Relics of intruded seawater or upward moving saline deep groundwater?* (abstract). SWIM Copenhagen 1972, 3 (1972), p. 22.
- 30 - GERHARDY H., *Probleme der Wasserversorgung auf der Insel Borkum*. Water supply problems on the isle of Borkum. SWIM Ghent 1974, 4 (1975), p. 30-39, 7 figs.
- 31 - GERHARDY H. & FRITSCH, J., *Verzaltungsprobleme im Gebiet östlich von Emden/Ostfriesland*, Salinization problems in the area east of Emden/East Friesland. SWIM Hannover 1968, 1 (1968), p. 19-21.
- 32 - GIDLUND G., *Salt water in connection with groundwater sampling in deep boreholes*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 112-119, 4 figs., 2 tables.
- 33 - GULINCK M., *General problems on the fresh-saltwater distribution in Belgium* (title only). SWIM Vogelenzang 1970, 2 (1970), p. 28.
- 34 - HAHN J., *Küstenversalzung im Raume Wittmund/Ostfriesland*. Coastal salinization in the Wittmund area, East Friesland. SWIM Vogelenzang 1970, 2 (1970), p. 21-24, 1 fig.
- 35 - HAHN J., *Das Erscheinungsbild der Küstenversalzung im Raume Wittmund/Ostfriesland*. The aspect of the coastal salinization in the area of Wittmund/East Friesland. SWIM Ghent 1974, 4 (1975), p. 40-58, 16 figs.
- 36 - HAITJEMA H. M., *Dynamic storage of freshwater in a saline aquifer*, SWIM Medmenham 1977, 5 (1978), p. 20-37, 25 figs.
- 37 - JONES G. P. & MEMON B. A., *The use of Hele-Shaw models to determine optimal pumping regime in thick coastal aquifers in Britain*, SWIM Medmenham 1977, 5 (1978), p. 60-71, 5 figs., 2 tables.
- 38 - KLEEFELDT M., *Causes of Groundwater Salinization in the Aquifer of the Weser River Valley*, (North-west-Germany). SWIM Hannover 1979, Geol. Jb., C-29 (1981), p. 133-146, 12 figs.
- 39 - KOZERSKI B., *Salt water intrusions into coastal aquifers of Gdansk region*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 83-90, 6 figs.
- 40 - LEANDER B., *Study of anticipated saline intrusion into a limestone aquifer in southern Sweden*. SWIM Medmenham 1977, 5 (1978), p. 108-113, 5 figs.
- 41 - LEBBE L. C., *A hydrogeological study of the dune area of De Panne* (Belgium). SWIM Hannover 1979, Geol. Jb., C-29 (1981), p. 115-131, 12 figs.
- 42 - LEBBE L. C., *The subterranean flow of fresh and salt water underneath the western Belgian beach*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 193-219, 10 figs., 3 tables.
- 43 - LINDEWALD H., *Saline groundwater in Sweden*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 24-32, 4 figs., 3 tables.
- 44 - LLOYD J. W., RUSHTON K. R., TAYLOR H. R., BARKER R. D. & HOWARD K. W. F., *Saline groundwater studies in the chalk of northern Lincolnshire*, SWIM Medmenham 1977, 5 (1978), p. 88-97, 2 figs., 2 tables.
- 45 - LOEHNERT E. P. & PALUSKA A., *Groundwater salinization in the Elbe valley (City of Hamburg)*. SWIM Medmenham 1977, 5 (1978), p. 98-107, 6 figs.
- 46 - MATHER J. D., *Saline intrusion and groundwater development on a Pacific atoll*, SWIM Medmenham 1977, 5 (1978), p. 126-135, 3 figs., 1 table.
- 47 - MEINARDI C. R., *The origin of brackish groundwater in the lower parts of the Netherlands*, SWIM Ghent 1974, 4 (1975), p. 85-106, 10 figs.
- 48 - MEULENKAMP J. J., *On the problem of the physical interpretation of resistivity depth soundings*, SWIM Vogelenzang 1970, 2 (1970), p. 8-11, 2 figs.

- 49 - MÜLLERN C. F. & ERIKSSON L., *Testing VLF-resistivity measurements in order to locate saline groundwater*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 91-100, 7 figs.
- 50 - NORDBERG L., *Problems in Sweden with intruded and fossil groundwater of marine origin*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 20-23.
- 51 - NUTBROWN D. A., *Study of the saline intrusion into chalk on the south coast of the United Kingdom*, SWIM Ghent 1974, 4 (1975), p. 173-178.
- 52 - NUTBROWN D. A., *Aquifer management in the context of saline intrusion*, SWIM Medmenham 1977, 5 (1978), p. 78-87, 5 figs.
- 53 - OBDAM A. N. M., *Calculation of the Salinity Process of Partially Penetrating Wells in a Semi-Confined Anisotropic Aquifer*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), 159-175, 4 figs., 7 tables.
- 54 - PETERS J. H., *Application of the vortex distributions in modelling the storage of fresh water in saline aquifers*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 162-170, 9 figs.
- 55 - PETERSEN M., JOHANSEN, A. & BRANDT E., *Versalzung des küstennahen Grundwassers in Schleswig-Holstein. Salinization of coastal groundwater in Schleswig-Holstein*, SWIM Hannover 1968, 1 (1968), p. 26-30.
- 56 - POMPER A. B., *Applications of calculations of seepage and deep percolation in the polder area of western Holland*, SWIM Vogelenzang 1970, 2 (1970), p. 7.
- 57 - POMPER A. B., *Evidence of the influence of man on the natural processes related with salinization of groundwater in the western part of the West-Netherlands*, SWIM Copenhagen 1972, 3 (1972), p. 40-46, 3 figs.
- 58 - POMPER A. B., *An estimation of chloride intrusion in the midwest Netherlands during the Pleistocene epoch.*, SWIM Medmenham 1977, 5 (1978), p. 114-125, 10 figs., 1 table.
- 59 - POMPER A. B., *A possible explanation of the occurrence of inversions in the chloride content of groundwater in the western Netherlands*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 205-215, 6 figs.
- 60 - POMPER A. B., *Hydrochemical observations in the subsoil of the western part of the Netherlands*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 101-111, 5 figs.
- 61 - RADHAKRISHNA J., *Saline water encroachment in the coastal aquifers of Orissa (India)*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 105-114, 5 figs.
- 62 - RICHTER W., *Untersuchungen zur Frage der Süß-Salzwassergrenze im niedersächsischen Küstenbereich (Historischer Überblick), Investigation of the question of the fresh-/salt-water interface in the coastal area of Lower Saxony (historical review)*, SWIM Hannover 1968, 1 (1968), p. 4-5.
- 63 - RICHTER W., GOLDBERG G., FAUTH W., NIELSEN H., STAHL W. & GEYH M. A., *Bericht über das Forschungsvorhaben « Wittmund », Information about the investigation project « Wittmund »*, SWIM Hannover 1968, 1 (1968), p. 10-18.
- 64 - ROEBERT A. J., *Some aspects of the saltwater encroachment in the dunewater catchment area of Amsterdam*, SWIM Vogelenzang 1970, 2 (1970), p. 12-15, 1 table.
- 65 - ROEBERT A. J., *Salt water contamination of the wells along the Barnaart-Schuster canal in the Amsterdam Dune Water Catchment Area (South of the City of Haarlem)*, SWIM Copenhagen 1972, 3 (1972), p. 47-52, 1 fig., 1 table.
- 66 - RÜLKE O., *Probleme der Süß/Salzwassergrenze auf den Ostfriesischen Inseln, Fresh-/salt-water interface problems on the East Frisian Islands*, SWIM Hannover 1968, 1 (1968), p. 22.
- 67 - SCHUURMANS R. A. & van den AKKER C., *Artificial removal of intruded saline water*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 239-241, 3 figs.
- 68 - SCHWERTFEGER B. Ch., *On the occurrence of submarine fresh water discharges*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 231-240, 4 figs.
- 69 - SENGPIEL K. P., & MEISER P., *Locating the Freshwater/Salt Water Interface on the Island of Spiekeroog by Airborne EM Resistivity/Depth Mapping*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 255-271, 7 figs.
- 70 - SIDENVALL I., *Fossil groundwater of marine origin in the Uppsala area, Sweden*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 40-44, 2 figs.
- 71 - SUND B. & BERGMAN G., *Sea water intrusion in drilled wells*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 45-58, 9 figs., 3 tables.
- 72 - TADOLINI T. & TULIPANO L., *The evolution of fresh-water/salt-water equilibrium in connection with withdrawals from the coastal carbonate and karstic aquifer of the Salentine peninsula (Southern Italy)*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 69-85, 8 figs., 1 table.

- 73 - ten HOORN W. H. C., *Some calculations concerning the fresh-water/salt-water interface in the subsoil*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 177-204, 16 figs., 2 tables.
- 74 - ten HOORN W. H. C., *The shape of a freshwater lens in the case of two aquifers separated by a semi-pervious layer*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981) p. 249-261, 12 figs.
- 75 - van DAM J. C., *Salt groundwater in the Netherlands. Review of the situation with particular reference to geo-electrical prospecting*, SWIM Hannover 1968, 1 (1968), p. 31-32.
- 76 - van DAM J. C., *Fresh water - salt water relationship*, SWIM Vogelenzang 1970, 2 (1970), p. 14-19, 4 figs.
- 77 - van DAM J. C., *A simple method for determination of the distribution of inflow and salinity of groundwater entering into a pumped well*, SWIM Vogelenzang 1970, 2 (1970), p. 20.
- 78 - van DAM J. C., *Fresh water - salt water relationship*, SWIM Ghent 1974, 4 (1975), p. 12-29, 12 figs.
- 79 - van DAM J. C., *Partial depletion of saline groundwater by seepage*, SWIM Ghent 1974, 4 (1975), p. 107-140, 13 figs., 2 tables.
- 80 - van DAM J. C., *Determination of horizontal and vertical groundwater flow from piezometric levels observed in groundwater of varied densities*, SWIM Medmenham 1977, 5 (1978), p. 1-19, 11 figs., 1 table.
- 81 - van DAM J. C., *The slope of the fresh-water/salt-water interface in a semi-confined aquifer*, SWIM Hannover 1979, Geol. Jb. C-29 (1981), p. 149-157, 2 figs., 1 table.
- 82 - van DAM J. C., *Analysis of the possible shapes of the fresh water - salt water interface in a semiconfined aquifer with axial-symmetric boundary conditions*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 220-230, 7 figs.
- 83 - van den AKKER C., *The numerical calculation of salt water/fresh water interfaces using the stream function*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 232-238, 3 figs.
- 84 - van der VEER P., *Numerical calculation of the behaviour in time of an interface between two moving fluids in a polder aquifer*, SWIM Medmenham 1977, 5 (1978), p. 38-45, 3 figs.
- 85 - van der VEER P., *Fresh and salt groundwater flow in a coastal aquifer*, SWIM Medmenham 1977, 5 (1978), p. 46-59, 6 figs.
- 86 - van DUYN C. J., *The simultaneous flow of fresh and salt groundwater in horizontally extended aquifers (abstract only)*, SWIM Uppsala 1981, Sver. Geol. Unders. Rap. Meddel., vol. 27 (1981), p. 171.
- 87 - VENHUIZEN K. D., *The shape of the fresh-water pocket under the dunes near Amsterdam*, SWIM Hannover 1968, 1 (1968), p. 33-35.
- 88 - VENHUIZEN K. D., *The shape of the fresh-water pocket under the dune-water catchment area of Amsterdam*, SWIM Ghent 1974, 4 (1975), p. 179-201, 11 figs.
- 89 - VERRUYT A., *Analysis of interface problems by the finite element method*, SWIM Copenhagen 1972, 3 (1972), p. 53-59, 6 figs.
- 90 - WALTER F., *The application of permanent electrode system for groundwater salinity inspection*, SWIM Copenhagen 1972, 3 (1972), p. 60-69, 7 figs.
- 91 - WALTER F., *Description of geophysical well logging equipment, demonstrated in the field during the salt water intrusion meeting 1974 in Ghent, Belgium*, SWIM Ghent 1974, 4 (1975), p. 216-222, 1 fig., 1 pl.